

**Dialog DataStar**[options](#)[logout](#)[feedback](#)[help](#)[databases](#)[easy search](#)**Advanced Search: INSPEC - 1969 to date (INZZ)**[limit](#)









Search history:

No.	Database	Search term	Info added since	Results	
1	INZZ	bst OR batio.sub.3 OR barium ADJ strontium ADJ titanate	unrestricted	1161645	<a href="#">show titles</a>
2	INZZ	('400' OR '450' OR '500' OR '550' OR '600' OR '650' OR '700') NEAR (C OR centigrade OR celsius OR celcius OR degree)	unrestricted	79575	<a href="#">show titles</a>
3	INZZ	1 AND 2	unrestricted	30713	<a href="#">show titles</a>
4	INZZ	1 NEAR 2	unrestricted	3377	<a href="#">show titles</a>
5	INZZ	4 AND (source OR precursor OR reactant)	unrestricted	294	<a href="#">show titles</a>
6	INZZ	5 AND (capacitor OR dram)	unrestricted	6	<a href="#">show titles</a>
7	INZZ	1 AND 2 AND (source OR precursor OR reactant) AND (capacitor OR dram)	unrestricted	30	<a href="#">show titles</a>

[hide](#) | [delete all search steps...](#) | [delete individual search steps...](#)Enter your search term(s): [Search tips](#) Information added since:  or:  (YYYYMMDD)[search](#)

Select special search terms from the following list(s):

- ☒ Classification codes A: Physics, 0-1
- ☒ Classification codes A: Physics, 2-3
- ☒ Classification codes A: Physics, 4-5
- ☒ Classification codes A: Physics, 6
- ☒ Classification codes A: Physics, 7
- ☒ Classification codes A: Physics, 8
- ☒ Classification codes A: Physics, 9

-  Classification codes B: Electrical & Electronics, 0-5
-  Classification codes B: Electrical & Electronics, 6-9
-  Classification codes C: Computer & Control, 0-9
-  Classification codes D: Information Technology, 0-9
-  Treatment codes
-  INSPEC sub-file
-  Publication types
-  Language of publication

[Top - News & FAQs - Dialog](#)

© **2004** Dialog

	Type	Hits	Search Text	DBs
1	BRS	3533	bst	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	7580	bst or "batio.sub.3" or barium adj strontium adj titanate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	1730	barium adj strontium adj titanate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	19	(bst or "batio.sub.3" or barium adj strontium adj titanate) same (haze or hazey or hazy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	43	(bst or "batio.sub.3" or barium adj strontium adj titanate) same nucleation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	15	(bst or "batio.sub.3" or barium adj strontium adj titanate) same (nucleation near2 layer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	136	(bst or "batio.sub.3" or barium adj strontium adj titanate) same (nio or nickel adj oxide)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	381	(bst or "batio.sub.3" or barium adj strontium adj titanate) same (nb or niobium)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	267	(bst or "batio.sub.3" or barium adj strontium adj titanate) same (mn or manganese)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	1624	(bst or "batio.sub.3" or barium adj strontium adj titanate) same (ti or titanium)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
11	BRS	411	((bst or "batio.sub.3" or barium adj strontium adj titanate) same ((ti or titanium or nb or niobium or ti or titanium) near4 (layer or film or substrate)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	297	((bst or "batio.sub.3" or barium adj strontium adj titanate) same ((ti or titanium or nb or niobium or ti or titanium) near4 (layer or film or substrate))) and (@ay < "2000")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	2	6117482.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	18	((bst or "batio.sub.3" or barium adj strontium adj titanate) same (nio or nickel adj oxide) same (pt or platinum))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	2	4058404.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	270	(nio or nickel adj oxide) near (ti or titanium)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	0	(nio or nickel adj oxide) near (ti or titanium) near4 adhes\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	0	(nio or nickel adj oxide) near (ti or titanium) same (capacitor or dram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	1	(nio or nickel adj oxide) near (ti or titanium) same (perovskite or ferromagnetic or ferroelectric or bst)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	6	(nio or nickel adj oxide) near (ti or titanium) and (capacitor or dram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
21	BRS	48	(nio or nickel adj oxide) near4 (ti or titanium) and (capacitor or dram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	42	((nio or nickel adj oxide) near4 (ti or titanium) and (capacitor or dram)) not ((nio or nickel adj oxide) near (ti or titanium) and (capacitor or dram))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	52	((nio or nickel adj oxide) near4 (tio or titanium) and (capacitor or dram))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	55	(bst or "batio.sub.3" or barium adj strontium adj titanate) same nucleat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	IS&R	1	("6319764").PN.	USPAT
26	IS&R	2165	((438/3) or (438/238) or (438/239) or (438/240)).CCLS.	USPAT; US-PGPUB
27	BRS	158	(bst or "batio.sub.3" or barium adj strontium adj titanate) same (nio or nickel adj oxide)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	108	((bst or "batio.sub.3" or barium adj strontium adj titanate) same (nio or nickel adj oxide) ) and (@ay < "2000")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	22	(bst or "batio.sub.3" or barium adj strontium adj titanate) same (haze or hazy or hazy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	18	(bst or "batio.sub.3" or barium adj strontium adj titanate) same (nucleation near2 layer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	461	(bst or "batio.sub.3" or barium adj strontium adj titanate) same (nb or niobium)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB



	Type	Hits	Search Text	DBs
32	BRS	297	((bst or "batio.sub.3" or barium adj strontium adj titanate) same (nb or niobium) ) and (@ay < "2000")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	328	(bst or "batio.sub.3" or barium adj strontium adj titanate) same (mn or manganese)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	220	((bst or "batio.sub.3" or barium adj strontium adj titanate) same (mn or manganese) ) and (@ay < "2000")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	1947	(bst or "batio.sub.3" or barium adj strontium adj titanate) same (ti or titanium)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	1273	((bst or "batio.sub.3" or barium adj strontium adj titanate) same (ti or titanium) ) and (@ay < "2000")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	BRS	502	(bst or "batio.sub.3" or barium adj strontium adj titanate) same ((ti or titanium or nb or niobium or ti or titanium) near4 (layer or film or substrate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	BRS	306	((bst or "batio.sub.3" or barium adj strontium adj titanate) same ((ti or titanium or nb or niobium or ti or titanium) near4 (layer or film or substrate)) ) and (@ay < "2000")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	265	(bst or "batio.sub.3" or barium adj strontium adj titanate) same ((ti or titanium or nb or niobium or ti or titanium) same ("(100)" or "<100>" or "[100]" or "{100}") )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	170	((bst or "batio.sub.3" or barium adj strontium adj titanate) same ((ti or titanium or nb or niobium or ti or titanium) same ("(100)" or "<100>" or "[100]" or "{100}") ) ) and (@ay < "2000")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
41	BRS	265	(bst or "batio.sub.3" or barium adj strontium adj titanate) same (( nb or niobium or ti or titanium) same ("(100)" or "<100>" or "[100]" or "{100}" ) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	88	(bst or "batio.sub.3" or barium adj strontium adj titanate) same ((nb or niobium or mn or manganese) same ("(100)" or "<100>" or "[100]" or "{100}" ) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	54	((bst or "batio.sub.3" or barium adj strontium adj titanate) same ((nb or niobium or mn or manganese) same ("(100)" or "<100>" or "[100]" or "{100}" ) ) and (@ay < "2000")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	1	(bst or "batio.sub.3" or barium adj strontium adj titanate) same ((nb or niobium or mn or manganese) same ("(111)" or "<111>" or "[111]" or "{111}" ) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	BRS	243	(bst or "batio.sub.3" or barium adj strontium adj titanate) same (( ti or titanium) same ("(100)" or "<100>" or "[100]" or "{100}" ) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	BRS	6	(bst or "batio.sub.3" or barium adj strontium adj titanate) same (( ti or titanium) same ("(100)" or "<100>" or "[100]" or "{100}" ) near4 (crystal or orient\$6 or plane) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	BRS	0	(bst or "batio.sub.3" or barium adj strontium adj titanate) same (( ti or titanium) same ("(111)" or "<111>" or "[111]" or "{111}" ) near4 (crystal or orient\$6 or plane) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	IS&R	2398	((438/3) or (438/238) or (438/239) or (438/240)).CCLS.	USPAT; US-PGPUB
49	BRS	1428	((438/3) or (438/238) or (438/239) or (438/240)).CCLS.) and (@ay < "2000")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	BRS	57	((nio or nickel adj oxide) near4 (tio or titanium) and (capacitor or dram))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
51	BRS	49	((((nio or nickel adj oxide) near4 (tio or titanium) and (capacitor or dram)) ) and (@ay < "2001")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	928	(bst or "batio.sub.3" or barium adj strontium adj titanate or ba near3 sr near3 "tio.sub.3") same (nb or niobium or mn or manganese or nio)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	145	(bst or "batio.sub.3" or barium adj strontium adj titanate or ba near3 sr near3 "tio.sub.3") near4 (nb or niobium or mn or manganese or nio)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	145	(bst or "batio.sub.3" or barium adj strontium adj titanate or ba near2 sr near2 "tio.sub.3") near4 (nb or niobium or mn or manganese or nio)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	117	(bst or "batio.sub.3" or barium adj strontium adj titanate or ba near2 sr near2 "tio.sub.3") near4 (nb or niobium or mn or manganese or nio) and (@ay < "2002")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	19	(bst or "batio.sub.3" or barium adj strontium adj titanate or ba near2 sr near2 "tio.sub.3") same (nucleat\$4 near2 layer) and (@ay < "2002")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	IS&R	2	((("6660535") or ("6319764")).PN.	USPAT
58	BRS	11416	bst or "batio.sub.3" or barium adj strontium adj titanate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
59	BRS	40695	(angstrom or ang or nanometer or nm or micron or mn) near2 (minute or min or sec or second)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	BRS	83	(bst or "batio.sub.3" or barium adj strontium adj titanate ) same ((angstrom or ang or nanometer or nm or micron or mn) near2 (minute or min or sec or second))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB



	Type	Hits	Search Text	DBs
61	BRS	30	((bst or "batio.sub.3" or barium adj strontium adj titanate ) same ((angstrom or ang or nanometer or nm or micron or mn) near2 (minute or min or sec or second))) and (@ad < "19990825")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	BRS	14508 5	("400" or "450" or "500" or "550" or "600" or "650" or "700") near2 (C  or centigrade or celsius or celcius or degree)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	BRS	1	((bst or "batio.sub.3" or barium adj strontium adj titanate ) same ((angstrom or ang or nanometer or nm or micron or mn) near2 (minute or min or sec or second))) same ((("400" or "450" or "500" or "550" or "600" or "650" or "700") near2 (C  or centigrade or celsius or celcius or degree))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
64	BRS	25	(bst or "batio.sub.3" or barium adj strontium adj titanate ) near8 ((("400" or "450" or "500" or "550" or "600" or "650" or "700") near2 (C  or centigrade or celsius or celcius or degree))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
65	BRS	11	((bst or "batio.sub.3" or barium adj strontium adj titanate ) near8 ((("400" or "450" or "500" or "550" or "600" or "650" or "700") near2 (C  or centigrade or celsius or celcius or degree))) and (@ad < "19990825")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB